



THE BEST WAY TO REMOVE
 Concrete, Cement, Grout,
 Hard Water Deposits, Mortar,
 Mud, Plaster, Lime & Lime Scale

CLEAN ANYTHING WITH LIQUID HAMMER

Liquid Hammer is non corrosive, biodegradeable and safe to use on virtually all surfaces.
 Liquid Hammer can remove concrete, cement, grout, hard water deposits, mortar, plaster, lime and scale buildup
 - from small machines, bathrooms all the way to large machinery and buildings.



- READY MIX TRUCKS
- CONCRETE PUMPS
- CONCRETE KIBBLES
- FORMWORK

- CONCRETE CONVEYORS
- CEMENT MIXERS
- HANDTOOLS
- WINDOWS

- COLORBOND FENCING
- SCAFFOLD PLANKS
- VEHICLES
- SCISSOR LIFTS

- MAGNETS & SHUTTERS
- HARD WATER DEPOSITS
- POWER TROWELS
- CONCRETE VIBRATORS

HOW TO USE LIQUID HAMMER

Liquid Hammer is best applied as a foam which sticks to the concrete and is absorbed. It re-hydrates the concrete, for easy removal by rinsing or pressure washing the surface.

Step 01	Step 02	Step 03	Step 04	Step 05
				
<i>Use Liquid Hammer Concentrate with a Foaming Sprayer for best results</i>	<i>Liquid Hammer is sprayed as foam</i>	<i>The foam sticks to the concrete - less waste</i>	<i>Liquid Hammer dissolves the concrete</i>	<i>Hard concrete is turned into a paste and easily removed</i>

WHAT SIZES CAN I BUY IT IN?

CONCENTRATE

1000 Lt Concentrate	200 Lt Concentrate	20 Lt Concentrate	5 Lt Concentrate
			
1700LH-1000	1700LH-0200	1700LH-0020	1700LH-0005

READY TO USE

200 Lt Ready to use	20 Lt Ready to Use	750 ml Ready to use Trigger Bottle	200 ml Ready to use Foamer
			
17LHRTU-0200	17LHRTU-0020	1700LH-0750	1700LH-F200

FOAMING SPRAYERS

MANUAL FOAMERS

F10 Foamer	LH 5 Lt Foamer	LH 3 Lt Foamer	F2 Foamer
			
10.0 L Capacity Polyethylene Body 208010	5.0 L Capacity Polyethylene Body 202485	3.0 L Capacity Polyethylene Body 202493	2.0 L Capacity Polyethylene Body 202492

AIR POWERED FAT BOY FOAMERS

AF Foamer	Fatboy Foamer 14	Fatboy Foamer 24	Fatboy Foamer 50	Fatboy Foamer 100
				
10.0 L Capacity Polyethylene Body 208015	14.0 L Capacity Stainless Steel Body 242201	24.0 L Capacity Stainless Steel Body 242202	50.0 L Capacity Stainless Steel Body 242203	100.0 L Capacity Stainless Steel Body 242204

LIQUID HAMMER 80 LT FOAM CART



240925

The new LH 80L Foaming Cart offers innovative new features and ergonomics for cleaning of your machinery.

Dosing is simple !

- For everyday cleaning add 1 x 20L drum of Liquid Hammer concentrate and fill the tank with water to give you a 3:1 ratio.
- 9.0 M of hose
- Ergonomic design featuring 4 wheels
- Drain feature allows for easy emptying
- 80 Lt. Capacity
- 200 mm fill cap makes filling easy
- Requires compressed air source

LIQUID HAMMER FOAMING STATION



240500

This unit has an air driven pump that draws in either Liquid Hammer concentrate or Ready-to Use Liquid Hammer, and then mixes it with air and water (optional if you want to dilute) to generate a high volume of foam.

This unit is perfect for cleaning large machinery like concrete trucks.

INSTRUCTIONS

Usage: Safely used on engines, glass, metal, painted surfaces and timber. NB. Conduct pilot tests due to the large number of unknown surface conditions.

Directions: Apply LIQUID HAMMER generously and let stand for 15 minutes. A paste should form, but if it hasn't, reapply further coating and let it stand for another 15 minutes. Once paste has formed, rinse with water and agitate or pressure wash. For heavy buildup or older concrete you may need to repeat this to achieve a paste.

Handy Tip: LIQUID HAMMER has been found to be most effective when used in shaded areas or during evening hours. These conditions stop concrete drying out.

Recommended Dilution Ratio:

Purpose	Liquid Hammer	Water
Removing Old Concrete	1 Litre	1 Litre
Removing Fresh Concrete	1 Litre	3 Litre

Safety Information: Avoid contact with eyes and skin. Wear suitable gloves and eye protection. If contact occurs, flush exposed area thoroughly and seek medical advice. Do not inhale or consume. Keep out of reach of children.

Ingredients: Water, Proprietary organic compounds, Surfactants. For full information refer to MSDS from website.

FAQ

Q. How does LIQUID HAMMER work?

A. LIQUID HAMMER reverses the hardening of cement. It re-hydrates the mortar or concrete back into a paste.

Q. How long can i keep LIQUID HAMMER on my machinery?

A. You can leave LIQUID HAMMER on as long as you want and apply as often as you want to remove concrete. Even make a bath to soak your tools!

Q. Will LIQUID HAMMER affect my paintwork?

A. No. LIQUID HAMMER is non-corrosive so it will not damage your machinery. It has been tested on painted surfaces, timber, glass and metal surfaces. For your reassurance, however, it is recommended that a small test patch be applied first.

Q. Will LIQUID HAMMER work on old concrete as well as new?

A. Yes. Old concrete is harder and stronger than new concrete. Moderate to severe build-up may require regular applications over a period of days or weeks.

Q. Should I dilute the concentrate?

A. Yes, we recommend dilution with water as this helps keep the surface moist. For old concrete use a water to concentrate ratio of 1:1 and for fresh concrete use a 3:1 ratio. The 750 ml Trigger bottle is ready to use and does not need to be diluted.

Q. The concrete has turned white but has not shifted !

A. The surface has dried out too quickly or the concrete is too old and requires repeated applications. Simply re-wet the surface with more LIQUID HAMMER foam, repeat until the surface blisters, then agitate or rinse.

Q. Do i need to wear safety gear?

A. LIQUID HAMMER is non-corrosive and very mild to skin, however, gloves and eye protection should be worn to protect the user, as with any cleaning product.

FIND A DISTRIBUTOR

☎ 1300 542 663

Liquid Hammer and foamers are available all over Australia through our vast reseller network. To find nearest reseller scan this qr code or visit:

<http://liquidhammer.com.au/distributors>



LIQUID HAMMER PTY LTD

148 Sussex Street , Pascoe Vale, VIC. 3044

Postal: PO Box 345, Pascoe Vale South, VIC. 3044

Ph: 1300 542 663 (1300 LHAMMER)

email: info@liquidhammer.com.au

www.liquidhammer.com.au